



**DUNCOMBE**  
IRONMONGERY

**EXIDOR**  
EMERGENCY EXIT HARDWARE

**WEBB LLOYD**  
DOOR FURNITURE

## Manufacturer's Declaration Of Conformity

We declare that the

**IDC 727**  
**Push Pad Single Panic Bolt**

has been successfully tested to

**EN 179 : 1997 + A1 : 2001**

with the following classification:

<b>3</b>	<b>7</b>	<b>6</b>	<b>1</b>	<b>1</b>	<b>3</b>	<b>4</b>	<b>2</b>	<b>B</b>
----------	----------	----------	----------	----------	----------	----------	----------	----------

Box	Classification	Category
1	Category Of Use	High Frequency Of Use By Public
2	Durability	200,000 Test Cycles
3	Test Door Mass	For use On Doors up to 200 kg.
4	Fire Resistance	Suitable For Use On Fire Doors
5	Safety	Grade 1
6	Corrosion Resistance	High Resistance (96 hours salt spray)
7	Security	3000 N Test Load
8	Projection Of Bar	Low Projection 100mm maximum
9	Type Of Device	Push Pad Operation

**Certification Of Conformity No. AB0003**

### Evidence of standard compliance:

- ☒ Type tested by a Recognised Independent Test House (Bodycote warringtonapt Laboratories Ltd)
- ☐ Type tested by Manufacturer
- ☒ Regular Audit Tested by a Recognised Independent Test House (Bodycote warringtonapt Laboratories Ltd)
- ☐ Regular Audit Tested by Manufacturer
- ☒ Other (specify) Certifire Approved CF 392 - Timber & Steel Doors

### Evidence of quality compliance:

- ☐ Manufacturer's own quality system
- ☐ Manufacturer's quality system to BS EN ISO 9001 : 2000
- ☒ Manufacturer's quality system to BS EN ISO 9001 : 2000 with independent quality assessment
- ☐ Other (Specify)

### Evidence of marking Compliance

- ☒ CE Marking (Warrington Certification Ltd - 1121)
- ☐ Quality Label
- ☐ Other



Signed

*K O'Reilly*

Position Sales and Marketing Director

On behalf of Fred Duncombe Ltd, Progress Drive, Cannock, Staffs, England WS11 0JE  
Tel No. 0044 1543 578661 Fax No 0044 1543 570050