



DUNCOMBE
IRONMONGERY

EXIDOR
EMERGENCY EXIT HARDWARE

WEBB LLOYD
DOOR FURNITURE

Manufacturer's Declaration Of Conformity

We declare that the

**IDC 746 Rebated Double Door Set
With Single Panic Bolt & Reversible Panic Latch**

has been successfully tested to

EN 1125 : 1997 + A1 : 2001

with the following classification:

3	7	6	1	1	3	2	2	A
----------	----------	----------	----------	----------	----------	----------	----------	----------

Box	Classification	Category
1	Category Of Use	High Frequency Of Use By Public
2	Durability	200,000 Test Cycles
3	Test Door Mass	For use On Doors up to 200 kg.
4	Fire Resistance	Suitable For Use on Timber & Steel Fire Doors
5	Safety	Grade 1
6	Corrosion Resistance	High Resistance (96 hours salt spray)
7	Security	1000 N Test Load
8	Projection Of Bar	Low Projection 100mm maximum
9	Type Of Device	Push Bar Operation

Certification Of Conformity No. AA0006

Evidence of standard compliance:

- ☒ Type tested by a Recognised Independent Test House (Warrington APT Laboratories Ltd)
- ☐ Type tested by Manufacturer
- ☒ Regular Audit Tested by a Recognised Independent Test House (Warrington APT Laboratories Ltd)
- ☐ Regular Audit Tested by Manufacturer
- ☐ Other (specify)

Evidence of quality compliance:

- ☐ Manufacturer's own quality system
- ☐ Manufacturer's quality system to BS EN ISO 9001 : 2000
- ☒ Manufacturer's quality system to BS EN ISO 9001 : 2000 with Independent quality assessment
- ☐ Other (Specify)

Evidence of marking Compliance

- ☒ CE Marking (Warrington Certification Ltd - 1121)
- ☐ Quality Label
- ☒ Other Certificate CF382



Signed

11/06/06

Position **Sales and Marketing Director**

On behalf of Fred Duncombe Ltd, Progress Drive, Cannock, Staffs, England WS11 0JE
Tel No. 0044 1543 578661 Fax No 0044 1543 570050